





Our quality philosophy ensures your investment safe and sustainable:



APPROVAL CERTAINTY Zero risk in safety checks. Thanks to the TÜV-approved tent statics, welding and production certificates in accordance with DIN EN as well as CE certification, your event can start on time without any unpleasent surprises.

ABSOLUTE ADAPTABILITY Ready

for use at any occasion and event request. The intelligent modular system from HALTENT allows different tent spans as well as simple enlargement, reduction, expansion and variation of tents.

STORM-PROOF Reliable stability even in extreme conditions. As standard, HALTENT tents can withstand at least wind force 9. Specially reinforced constructions are available for coastal regions.

ASSEMBLY SAFE Minimal assembly effort. Thanks to the user-friendly aluminium constructions with almost tool-free slotted assembly and practical instructions, you save time and personnel assembling the tent.

FUTURE-PROOF With the best materials, a high-quality finish and a 20-year availability guarantee for extensions and spare parts, HALTENT ensures that your tent investment yields a profit in the long term.

ATMOSPHERE GUARANTEE Guest loyalty with a pleasant party ambience. HALTENT tents ensure you to add that extra special atmosphere of an outdoor event to your spaces at any time. High-quality flooring and interior accessories complete the perfect location.

PLANNING SECURITY No cancellations or cost hikes during peak season. With your own HALTENT tent, you remain independent to market conditions in the tent hire sector and can realise the full potential of the summer event season.

INVESTMENT SECURITY No fear of a misinvestment! Our expert sales team will help you choose the right tent. You can see the HALTENT quality for yourself at any time by visiting one of our branches.

ENGINEERING RELIABILITY Professionally planned and subject to production monitoring. Our in-house engineers ensure that your tent conforms to the latest standards and requirements in terms of statics, construction and equipment.

EARNINGS SECURITY Increase income, reduce expenditure. With your own HALTENT tent, you save on high rental costs and can even hire out your tent yourself – meaning your investment quickly pays itself off.



»MAXI« PARTY TENT

The professional among party tents. Variable widths (up to 15.0 m), side heights and modular dimensions make MAXI an extremely versatile tent system for events of any kind.



Large marquees and party tents are a flexible and efficient way to extend your event space. By purchasing a HALTENT event tent, you can continue to expand your business in the long term.

»STARFLEX« STAR TENT

An eye-catcher with an exceptional design – the exclusive canopy for catering, promotions or information booth.

»MINI« PARTY TENT

The starter model among the professional marquees. With widths of up to 10.0 m, ideal for smaller celebrations and club parties.

»QUADROFLEX« PAGODA

Elegant yet spacious – ideal for open-air catering, exhibitions and special occasions.



With widths of up to 20.0 m, QUICKFLEX is ideal for large events. Special statics offer extra protection against strong winds for assembly in coastal regions.



»STARFLEX« STAR TENT

The unusual design makes STARFLEX an attractive eye-catcher at your event. We will be pleased to add your company's own branding to the tarpaulin using digital printing. The small number of components can be transported in a car and assembled virtually tool-free.

Additional bonus for your safety: STARFLEX is the only star tent with TÜV-approved statics.

Diameter (D1)	13.0 m	18.0 m
Diameter, covered (D2)	6.6 m	8.4 m
Height (H1)	5.0 m	6.0 m
Entrance height (H2)	2.2 m	2.2 m
Covered area	approx. 34 m²	approx. 55 m²

Tarpaulin material


»Airtex® super FR« lightweight fabric tarpaulin, PU-coated on both sides, weighing 275 g/m². Waterproof and highly fire-resistant in accordance with DIN 4102-1:B1. High tensile strength, UV-resistant, dirt-repellent and treated with fungicide to prevent mould growth.

Frame material

Collapsible aluminium mast made of anodised aluminium tubing (dia. 100 mm). Foot plates and other steel parts corrosion protected by hot-dip galvanising.

Structural analysis

DIN EN 13782







DESIGN FEATURES OF:

THE »STARFLEX« STAR TENT

Ol Perfect advertising space

With environmentally-friendly UV digital printing, STARFLEX can put your brand clearly in the limelight. From a small company logo to full-surface printing, anything is possible.

O2 Extremely stable and durable

Hot-dip galvanised foot plates are secured to the ground with pegs and are used as a base for attaching the tarpaulin. Together with the slot-in aluminium mast (dia. 100 mm), the star tent is extremely stable.

Tarpaulin – made in Germany

At the heart of STARFLEX is the high-quality Airtex® super FR tarpaulin. This is coated on both sides, making it particularly resistant to dirt. A fungicidal treatment prevents mould growth. It is also waterproof and flame-resistant in accordance with DIN 4102-1:B1.

Perfectly tensioned

The clamping device integrated into the mast and the supplied tensioning tool ensure wrinkle-free assembly. The entire mast is forced upward with a lever and then secured with a transverse bolt.

Tarpaulin protection

HALTENT provides practical ground sheets as an acessory. These ensure a protection against dirt and damages during the implementation.

Fast assembly

Minimal components and an intelligent design: the star tent can be assembled and taken down by just two people – and without the need for a ladder. The small packing size makes it simple to store and transport, and the tent fits easily into a car when folded up.












- > Availability guarantee
- > Virtually tool-free assembly
- > Statics and inspection book

TARPAULIN & FINISH | PAGE 23

- > Tarpaulin colours and printability
- > High quality in manufacturing










HALTENT pagodas can either be assembled individually or as a group to create an impressive marquee landscape. The convenient slot-in system ensures an easy implementation.

Size (S)	3.0 x 3.0 m	4.0 x 4.0 m	5.0 x 5.0 m	6.0 x 6.0 m
Side height (SH)	2.2 m or 2.5 m			
Total height (TH) where SH = 2.2 m	3.9 m	5.0 m	5.3 m	5.5 m
Total height where SH = 2.5 m	4.2 m	5.3 m	5.6 m	5.9 m
Tarpaulin material	Fabric tarpaulin, PU-coated on both sides, weighing approx. 650 g/m². High-gloss finish, waterproof and flame-resistant in accordance with DIN 4102-1:B1. High tensile strength, UV-resistant and treated with fungicide to prevent mould growth.			
Frame material	Main profile made from anodised aluminium keder profile 63 x 63 x 2 mm, steel parts corrosion protected by hot-dip galvanising.			
Static calculation	DIN EN 13782, without optionally available without statics			







DESIGN FEATURES OF:

THE »QUADROFLEX« PAGODA

Olimber Approval safety – even in a group

HALTENT pagodas can also be easily assembled in groups. For this reason, we have become one of the few manufacturers to have applied a high wind load of 0.5 kN/m² in our statics. To create the perfect effect, our pagodas can be ideally combined with optional connecting tarpaulins for a unified look.

Perfectly tensioned

The integrated clamping device and a stable plastic peg in the apex ensure the tarpaulin sits perfectly – which also supports the durability of the tent.

Particularly stable

Stable corner joints made of hot-dipped galvanised steel make the HALTENT pagoda particularly stable. Even strong winds are no match for it.

O4 Simple tarpaulin attachment

It is straightforward and easy to attach the roof tarpaulin using a keder attachment system. This also allows the tarpaulin to be assembled on the ground before the tent is erected. An optional alternative is to attach the tarpaulin using an aluminium clamping strip.

OS Smooth-running and practical

Hanging the side tarpaulins with the keder strips is smooth, silent and virtually wear-free.

Extra wind protection and improved look

Ground tubes are available on request. They tension the side tarpaulins and protect them from being damaged in windy conditions. The material is subjected to less stress and the tent has an even higher quality finish.

Firmly anchored

The standard and most simple form of anchoring is ground pegs. If anchoring in the ground is not possible, various ballasting systems are available (see p. 21).

SPACE & EXPANSION | PAGE 25

- > Wooden flooring
- > Cassette flooring

TARPAULIN & FINISH | PAGE 23

> Virtually tool-free assembly

FRAME & ASSEMBLY | PAGE 21

> Other anchoring systems

> Availability guarantee

- > Tarpaulin material and colours
- > Finish quality

ACCESSORIES & USEFUL EXTRAS | PAGE 27

> Accessories and practical equipment















The flexible tent system for smaller parties to large events.


Our party tents and large marquees can be flexibly varied in terms of width, eave height and length. This allows you to tailor your tents individually to the respective event – the best prerequisite for the growth of your profit zone.



»MINI« PARTY TENT

Ideal for up to 150 people* with a width up to 10.0 m and a length up to 15.0 m


- > The most flexible system for small tent sizes
- > Extremely light and handy thanks to the small profile and small tarpaulin segments



»MAXI« PARTY TFNT

Ideal for 150 to 400 people* with a width of 8.0 m to 12.0 m and a length of 15.0 m and more

- > More space thanks to a side height of up to 3.0 m
- > Less material used and best possible price-performance ratio due to the 5.0 m modular increments
- > Visually attractive peak and 6-corner extension possible



»QUICKFLEX« LARGE MARQUEE


Ideal for 400 or more people* with a width of 15.0 m and more and a length of 15.0 m and more

- > A side height of 3.0 m and a width of up to 20.0 m create plenty of space for large events
- > A high level of safety even for coastal areas thanks to the special statics









	»MINI« PARTY TENT	»MAXI« PARTY TENT	»QUICKFLEX« LARGE MARQUEE		
Width (W)	3.0 m / 4.0 m / 5.0 m / 6.0 m / 8.0 m / 10.0 m	4.0 m / 5.0 m / 6.0 m / 8.0 m / 10.0 m / 12.0 m / 15.0 m	10.0 m / 12.5 m / 15.0 m / 20.0 m		
Side height (SH)	2.25 m	2.3 m or 3.0 m	2.4 or 3.0 m		
Length increments (L)	3.0 m	3.0 m or 5.0 m	5.0 m		
Tarpaulin material	Fabric tarpaulin, PU-coated on both sides, weighing approx. 650 g/m². High-gloss finish, waterproof and flame-resistant in accordance with DIN 4102-1:B1. High tensile strength, UV-resistant and treated with fungicide to prevent mould growth.				
Frame material	Main profile made from anodised aluminium keder profile 95 x 46 x 2/5 mm, steel parts corrosion protected with hot-dip galvanising.	Main profile made from anodised aluminium keder profile 110 x 68 x 3 mm, steel parts corrosion protected by hot-dip galvanising.	Main profile made from anodised aluminium keder profile 170 x 88 x 3 mm or 176 x 90 x 4/6 mm, steel parts corrosion protected with hot-dip galvanising.		
Structural analysis	DIN EN 13782	DIN EN 13782, in some cases also available with statics for coastal areas			





DESIGN FEATURES OF:

THE »MINI« + »MAXI« PARTY TENT AND »QUICKFLEX« LARGE MARQUEE

Tensioning the roof tarpaulin made easy

A special notch on the profile allows the rubber expanders of the roof tarpaulin to be attached quickly and easily. A fixed tensioning cable is also possible for better tensioning of the tarpaulin in the case of larger widths.

O2 Smooth-running and practical

Thanks to a special eave purlin profile, no additional tarpaulin tube is required, which allows a very small gap width. The tarpaulins run smoothly and almost silently on awning rolls.

O3 Free access throughout

If you want all areas to be freely accessible, wind bracing crosses (see Fig. 04) or cables can be replaced with aluminium gantries.

04 Extra stable

In the MINI and MAXI party tents, aluminium wind bracing crosses ensure extra stability. The anodised material protects the tarpaulin from dirt and damage.

OS Special wind protection and improved look

Ground tubes available on request tension the side tarpaulins and prevent them from being damaged in windy conditions. The material is subjected to less stress and the tent has an even higher quality finish.

of Individually or as a group

Where there are greater space requirements, e.g., for bars, counters or food serving areas, tents can also be assembled side by side. The optional connecting tarpaulins can be used to create a single large space.







FRAME & ASSEMBLY | PAGE 21

- > Other anchoring systems
- > Availability guarantee
- > Virtually tool-free assembly

TARPAULIN & FINISH | PAGE 23

- > Tarpaulin material and colours
- > Finish quality

SPACE & EXPANSION | PAGE 25

- > Wooden flooring
- > Cassette flooring

ACCESSORIES & PRACTICAL EXTRAS | PAGE 27

> Accessories and practical aids







INTELLIGENT SOLUTION.

FRAME & STRUCTURE

TÜV-approved statics – for your safety

Our in-house designers and structural engineers apply only the latest standards. Frame parts are manufactured in our own certified production facilities in Germany. All statics are TÜV-approved.

From a tent size of 75 m², we will provide you with an inspection report on request for legal and documentation purposes.

Simple assembly - easy to learn

The slot-in system is easy to learn even for novices. Thanks to the sophisticated design, tent assembly is quick and easy.

20-year availability guarantee - durable use

Frame parts made from high-quality material such as hot-dip galvanised steel and anodised aluminium are designed for long-term use and frequent assembly and disassembly. With the 20-year HALTENT availability guarantee, you can also rest assured that you will be able to extend your tent in years to come or purchase spare parts.

Ol Aluminium keder profile

HALTENT uses various aluminium keder profiles made from high-quality alloys so that only the minimum possible material is ever used – which saves weight and money. Anodised surfaces ensure a sophisticated look.

Anchoring with ground pegs


As standard, all tents are anchored to the ground with pegs, usually 3×100 cm. These can be driven in with a sledgehammer.


03 Ballasting

If anchoring with ground pegs is not possible, HALTENT offers various ballasting systems as options:

- Adapter ballasting
- Substructure ballasting, patented

The TÜV-approved statics calculation is included!





EYE-CATCHING TARPAULIN.

COLOUR & FINISH

Tarpaulin quality – made in Germany

The tarpaulins are manufactured using the latest manufacturing technologies combined with a lot of manual work. Our tarpaulins are made exclusively in Germany, which ensures consistently high quality and the ability to offer individual customisations.

Depending on the tent system, HALTENT tarpaulins offer quality features including the following: high-gloss finish, low flammability in accordance with DIN 4102-1:B1, fungicidal treatment to prevent mould growth, high tensile strength, UV resistance, resistance to dirt.

O1 Transparent tarpaulins

Tents with transparent tarpaulins create a very special ambience. Celebrate under open skies, but protected from wind and rain.

O2 Customised printing

Make your HALTENT tent the perfect advertising space: whether a company logo or full-surface printing, all tarpaulins can be individually printed according to your requirements.

O3 Coloured tarpaulins

Besides the classic tent colour of white, HALTENT tents can be produced in many other, even extravagant colours. Talk to us and we will be happy to advise you.

O4 High-frequency welded tarpaulins

To ensure homogeneous and optimum connection of tarpaulin elements for long-term use, we use high-frequency welding technology.

05 High-quality finish

All tarpaulins are manufactured by hand with the greatest care and fitted with keder piping, seams, eyelets, cords and so on.

Efficient tarpaulin connection

The centrally divided side tarpaulins are assembled with eyelets and loops. An integrated wind flap protects against draughts, creating a virtually windproof, easy to open and close connection. This is considerably more durable than a zip connection for example.











DESIGN VARIETY.

SPACE & EXPANSION

From "beer tent atmosphere" to "event location"

The way in which you vary and combine the HALTENT tent systems allows the creation of structured spaces, both inside and out. Take advantage of the virtually unlimited design possibilities for your special event. With different flooring systems, windows, doors and so on, we help you create your ideal tent ambience.

O1 Window

Our round-arched bar windows or panorama windows allow plenty of light. Made from polyglass sheets, they are high-frequency welded to the side tarpaulins.

Connecting tarpaulins

Special connecting tarpaulins are available to turn several connected tents into a single and, above all, dry space.

O3 Entrance door

A double-leaf door made of plastic gives your entrance a high-quality look. For the safety of your guests, the door is fitted with an anti-panic lock.

O4 Wooden flooring

A floor with double impregnated spruce boards, making it particularly robust. Easy to transport and suitable for ballasting.




O5 Cassette flooring

This floor offers an attractive look, is easy to transport and is easy to stack for storage.

Available in light and dark brown.







BEAUTIFULLY PRACTICAL.

ACCESSORIES & USEFUL EXTRAS

To round off your event

To ensure your event is a complete success, HALTENT also offers useful accessories, such as:

01 Interior decoration

Roof lining, decorative flags, curtains and pillar cladding emphasise the festive atmosphere of your tent.

O2 Packing bags

For practical storage and transportation of the tent tarpaulins.

03 Emergency escape route lighting

Long burn time and low energy consumption thanks to LED technology. Perfectly complements the anti-panic lighting.

O4 Anti-panic lighting

Switches on automatically within two seconds in the event of a power failure, lighting an area of approximately 150 m².

O5 Heating

HALTENT offers mobile heaters ideal for your tent size to ensure cosy warmth inside the tent.

Of Practical assembly aids

To make assembly and disassembly as pleasant as possible, HALTENT offers various aids such as a ground peg extractor and tarpaulin retraction rollers as accessories. We are happy to advise you.







HALTENT is a trademark of the privately run tent and hall specialist HALTEC. With our many years of experience, we have produced a range of professional event tents that combine engineering and manufacturing excellence from Germany with functional, attractive solutions for any event. With HALTENT, you are not only investing in a high-quality tent system, but in maximum safety, reliability and cost effectiveness for your events.

HALTENT by HALTEC – reference for statics and safety.

WE WILL BE LOOKING FORWARD TO ARRANGING A CONSULTATION WITH YOU.



HALTENT AREA NORTH

Großer Kamp 6 22885 Barsbüttel

GERMANY

Tel.: +49 40 6964 858-20 info@haltent.de

HALTENT AREA CENTER

Hauptstrasse 285–291 58675 Hemer

GERMANY

Tel.: +49 2372 9497-124 info@haltent.de

HALTENT AREA SOUTH

Talstrasse 5 70825 Korntal-Münchingen

GERMANY

Tel.: +49 711 860369-11 info@haltent.de

